

# Southern Illinois University Carbondale

---

## 2022 Fall Administration

*Core Alcohol and Drug Survey Long Form Version 2*

***Prepared by:***

**Laura A. Rowald, PhD**

Assistant Scientist, SIUC


Director, Core Institute

[lrowald@siu.edu](mailto:lrowald@siu.edu)

**Core Institute**

*measuring change, delivering results*

Q1 - Classification




#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Classification	1.00	7.00	3.28	1.32	1.74	331

#	Answer	%	Count
1	Freshman/First-year	12.69%	42
2	Sophomore	15.11%	50
3	Junior	24.17%	80
4	Senior	29.31%	97
5	Graduate/Professional	17.52%	58
6	Not Seeking a Degree	0.30%	1
7	Other	0.91%	3
	Total	100%	331

Q2 – Age

#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Age	18.00	64.00	23.88	7.74	59.93	313


Q3 - Ethnicity



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Ethnicity	1.00	2.00	1.90	0.30	0.09	308

#	Answer	%	Count
1	Hispanic or Latino(a)	10.06%	31
2	Not Hispanic or Latino(a)	89.94%	277
	Total	100%	308

Q4 - Race




#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Race	1.00	6.00	4.69	0.92	0.85	318

#	Answer	%	Count
1	American Indian or Alaskan Native	0.31%	1
2	Asian	5.35%	17
3	Black or African American	9.12%	29
4	Native Hawaiian or Other Pacific Islander	0.31%	1
5	White	80.19%	255
6	Multi-racial/mixed/bi-racial	4.72%	15
	Total	100%	318

**Q5 - Approximate grade point average (on a 4.00 point scale with 4.00 being the highest):**

#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Approximate grade point average (on a 4.00 point scale with 4.00 being the highest):	2.00	4.00	3.51	0.46	0.21	292

**Q5\_NA - Q5\_NA**




#	Answer	%	Count
1	Not Applicable	100.00%	33
	Total	100%	33

Q6 - Weight

#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Weight	0.00	350.00	166.06	46.26	2140.12	315


Q6\_unit - Q6\_unit



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Q6_unit	1.00	2.00	1.02	0.15	0.02	307

#	Answer	%	Count
1	Pounds (lbs.)	97.72%	300
2	Kilograms (kgs.)	2.28%	7
	Total	100%	307


Q7 - Birth Sex (required to calculate Blood Alcohol Concentration)



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Birth Sex (required to calculate Blood Alcohol Concentration)	1.00	2.00	1.72	0.45	0.20	326

#	Answer	%	Count
1	Male	27.61%	90
2	Female	72.39%	236
	Total	100%	326

Q8 - Gender Identity




#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Gender Identity	1.00	5.00	1.83	0.71	0.50	326

#	Answer	%	Count
1	Male	28.83%	94
2	Female	64.72%	211
3	Transgender	2.15%	7
4	Other	3.37%	11
5	Prefer not to answer	0.92%	3
	Total	100%	326




Q9 - Sexual Orientation



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Sexual Orientation	1.00	5.00	1.54	1.02	1.04	319

#	Answer	%	Count
1	Heterosexual	75.24%	240
2	Questioning	3.76%	12
3	Bisexual	15.36%	49
4	Gay	3.13%	10
5	Lesbian	2.51%	8
	Total	100%	319


Vet\_Status\_1 - Have you ever served on active duty in the U.S. Armed Forces?



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Have you ever served on active duty in the U.S. Armed Forces?	1.00	4.00	3.87	0.56	0.31	326


#	Answer	%	Count
1	Yes, on active duty in the past, but not now	3.07%	10
2	Yes, now on active duty	0.92%	3
3	No, never on active duty except for initial/basic training	1.84%	6
4	No, never served in the U.S. Armed Forces	94.17%	307
	Total	100%	326

**Veteran\_Status\_2 - In which branch or branches did you serve on active duty?(Select all that apply)**



#	Answer	%	Count
1	Army	30.77%	4
2	Navy	15.38%	2
3	Air Force	38.46%	5
4	Marine Corps	0.00%	0
5	Coast Guard	15.38%	2
6	Other (e.g., the Public Health Service, the Environmental Services Administration, the National Oceanic and Atmospheric Administration, U.S. Merchant Marine)	0.00%	0
	Total	100%	13


Q10i - Are you currently employed?



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Are you currently employed?	1.00	3.00	2.20	0.63	0.40	326

#	Answer	%	Count
1	Full-time	12.27%	40
2	Part-time	55.83%	182
3	Not employed	31.90%	104
	Total	100%	326


Q10ii - Are you currently employed?



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Are you currently employed?	1.00	2.00	1.40	0.49	0.24	221

#	Answer	%	Count
1	On-Campus	60.18%	133
2	Off-Campus	39.82%	88
	Total	100%	221

Q11 - Place of permanent residence



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Place of permanent residence	1.00	3.00	1.22	0.52	0.27	325

#	Answer	%	Count
1	In state	82.15%	267
2	US, out-of-state	13.23%	43
3	Country other than USA	4.62%	15
	Total	100%	325

## Hometown\_ZIP - Please enter the zip code of your hometown.

07924	60060	60516	61072	61944	62550	62860	62906	62966
21784	60061	60545	61080	61951	62554	62863	62906	62966
22727	60067	60559	61104	61956	62558	62864	62906	62966
30004	60073	60560	61107	61956	62615	62864	62906	62974
32566	60073	60586	61111	62025	62618	62870	62910	62995
34234	60085	60586	61251	62052	62629	62872	62915	62995
37020	60085	60608	61254	62056	62704	62881	62918	63026
37129	60089	60615	61281	62056	62711	62881	62918	63049
37203	60090	60620	61348	62207	62711	62881	62918	63119
37421	60090	60624	61364	62208	62711	62890	62918	63119
37701	60101	60625	61373	62220	62712	62890	62918	63125
38060	60107	60626	61376	62220	62801	62891	62918	63130
38125	60108	60628	61413	62221	62812	62896	62918	63236
42066	60115	60628	61430	62221	62812	62896	62918	63670
42211	60123	60629	61443	62222	62812	62896	62918	63701
42303	60124	60637	61454	62225	62819	62896	62918	64111
43611	60126	60643	61520	62226	62821	62899	62918	70005
43783	60142	60657	61533	62233	62832	62901	62920	70461
46033	60143	60804	61537	62243	62832	62901	62920	72714
46123	60153	60936	61546	62249	62832	62901	62930	77066
46324	60169	60936	61548	62263	62832	62901	62939	77479
47546	60177	60942	61571	62263	62832	62901	62946	77625
47591	60188	60954	61611	62274	62837	62901	62948	79912
47630	60193	61030	61615	62274	62848	62901	62948	80127
47946	60193	61071	61615	62274	62858	62901	62948	89129
49017	60402	61071	61615	62274	62859	62901	62948	91711
49464	60419		61740	62288		62901	62949	92881
49506	60430		61740	62288		62901	62950	
53158	60439		61756	62378		62901	62959	
53223	60439		61761	62439		62901	62959	
54210	60440		61761	62447		62901	62959	
56601	60445		61802	62450		62901	62959	
60014	60446		61821	62467		62901	62959	
60030	60459		61830	62471		62903	62960	
60046	60467		61843	62501		62903	62960	
60046	60474		61866	62526		62903	62960	
60056	60506		61920	62535		62903	62966	

**HS\_ZIP - If your high school was not located in your hometown, please enter your high school's zip code.**


11230	60435	61736	62812	62959
23211	60441	61756	62839	62959
33657	60490	61820	62865	62960
37203	60515	61840	62881	62999
38060	60515	61880	62896	63016
38672	60545	61956	62901	63122
42431	60620	62009	62901	63755
43076	60621	62018	62901	63901
53168	60625	62221	62901	65613
53209	60632	62221	62901	68850
60002	60649	62258	62906	72756
60030	60652	62274	62914	77066
60061	60653	62274	62918	77373
60073	60655	62286	62918	79905
60090	60657	62321	62918	80488
60099	61030	62353	62918	85748
60137	61072	62501	62920	98225
60142	61111	62510	62930	
60148	61250	62550	62931	
60172	61342	62563	62938	
60175	61448	62629	62948	
60177	61490	62801	62948	
60187	61520	62801	62959	
60424	61525	62812	62959	

**Country - What is the country of your residence?**

Bangladesh	Nepal
Bangladesh	Nepal
Colombia	Nigeria
Gambia	Oman
India	Sri Lanka
Mexico	Taiwan
México	




Q12 - Student status



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Student status	1.00	2.00	1.07	0.25	0.06	320

#	Answer	%	Count
1	Full-time	93.44%	299
2	Part-time	6.56%	21
	Total	100%	320


Q13 - Relationship Status



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Relationship Status	1.00	5.00	2.60	1.40	1.95	321

#	Answer	%	Count
1	Single/not dating	33.96%	109
2	Single/casual dating	12.77%	41
3	Single/exclusively dating	23.36%	75
4	Engaged or committed relationship	19.00%	61
5	Married/life partner	10.90%	35
	Total	100%	321


Q14 - Which best describes your current living arrangement at college?



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Which best describes your current living arrangement at college?	1.00	7.00	4.88	2.19	4.82	321

#	Answer	%	Count
1	College residence hall	22.43%	72
2	Substance-free residence hall	0.93%	3
3	On-campus fraternity/sorority	0.62%	2
4	Off-campus fraternity/sorority	0.31%	1
5	On-campus apartment or house	9.35%	30
6	Off-campus apartment or house	50.78%	163
7	At home with family	15.58%	50
	Total	100%	321


Homelessness\_1 - Do you identify yourself as currently experiencing homelessness? A "student experiencing homelessness" is defined as a student who lacks or is at imminent risk of losing their "fixed, regular, and adequate nighttime residence," including those who live in SIU Residence Halls during academic semesters but lack such residence during breaks.



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Do you identify yourself as currently experiencing homelessness?	1.00	2.00	1.97	0.16	0.03	322

#	Answer	%	Count
1	Yes	2.80%	9
2	No	97.20%	313
	Total	100%	322


## Homelessness\_2 - Please identify your primary accommodation:



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Please identify your primary accommodation:	1.00	17.00	10.67	6.34	40.22	9

#	Answer	%	Count
1	At risk of losing residence	22.22%	2
8	Lacking adequate or safe residence during breaks	22.22%	2
9	Residing in substandard housing	0.00%	0
10	Sharing the housing of other persons due to loss of housing (i.e., "couch surfing")	11.11%	1
11	Residing in motels, hotels, or camping grounds	0.00%	0
12	Residing in emergency or transitional shelters	0.00%	0
13	Sleeping in public spaces or parks	0.00%	0
14	Residing in abandoned buildings	0.00%	0
16	Residing in a vehicle	0.00%	0
17	Other	44.44%	4
	Total	100%	9


First\_Gen - Are you a First-generation college student?



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Are you a First-generation college student?	1.00	2.00	1.63	0.48	0.23	322

#	Answer	%	Count
1	Yes	36.96%	119
2	No	63.04%	203
	Total	100%	322

Q15 - Within the last year to what extent have you participated in any of the following activities?




#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Intercollegiate athletics (NCAA)	1.00	4.00	1.24	0.61	0.37	319
2	Club sports (non-NCAA)	1.00	4.00	1.22	0.64	0.41	316
3	Intramural sports (Recreation)	1.00	4.00	1.26	0.63	0.39	312
4	Religious and interfaith groups	1.00	4.00	1.39	0.71	0.51	316
5	Music and other performing arts groups	1.00	4.00	1.36	0.74	0.55	316
6	Volunteer Work or Community Service	1.00	4.00	1.91	0.93	0.86	317
7	Greek System participation	1.00	4.00	1.28	0.72	0.52	317
8	Other student organizations	1.00	4.00	2.06	1.10	1.22	317

#	Question	Not involved		Attended		Active Involvement/ Non-Leader		Leadership Position		Total
1	Intercollegiate athletics (NCAA)	84.33%	269	9.40%	30	4.70%	15	1.57%	5	319
2	Club sports (non-NCAA)	87.34%	276	5.70%	18	4.43%	14	2.53%	8	316
3	Intramural sports (Recreation)	83.01%	259	8.97%	28	7.05%	22	0.96%	3	312
4	Religious and interfaith groups	73.10%	231	15.82%	50	9.81%	31	1.27%	4	316
5	Music and other performing arts groups	77.53%	245	10.76%	34	9.49%	30	2.22%	7	316
6	Volunteer Work or Community Service	42.90%	136	28.39%	90	23.66%	75	5.05%	16	317
7	Greek System participation	83.91%	266	7.26%	23	5.36%	17	3.47%	11	317
8	Other student organizations	44.48%	141	18.30%	58	23.66%	75	13.56%	43	317




Q16 - How many times a month do you typically attend a religious service?



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	How many times a month do you typically attend a religious service?	1.00	9.00	2.17	2.06	4.26	313

#	Answer	%	Count
1	0	66.13%	207
2	1	7.99%	25
3	2	6.71%	21
4	3	1.92%	6
5	4	9.27%	29
6	5	2.88%	9
7	6	0.64%	2
8	7	1.28%	4
9	8+	3.19%	10
	Total	100%	313

**Drinking\_Check - Did you drink in the last 12 months? \*A drink is defined as: 5oz. wine, 10oz. wine cooler, 12oz. beer (10oz. Microbrew, 8-9oz. Malt Liquor, Canadian beer, Ice beer), 1.5oz. of 80 proof liquor (mixed drink or shot)**



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Did you drink in the last 12 months? *A drink is defined as: 5oz. wine, 10oz. wine cooler, 12oz. beer (10oz. Microbrew, 8-9oz. Malt Liquor, Canadian beer, Ice beer), 1.5oz. of 80 proof liquor (mixed drink or shot)	1.00	2.00	1.25	0.43	0.19	321

#	Answer	%	Count
1	Yes	75.08%	241
2	No	24.92%	80
	Total	100%	321

### Q17a - Monday

#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Drinks (max. 49)	0.00	8.00	0.21	0.87	0.75	199

#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Hours (max. 24)	0.00	24.00	1.49	5.35	28.63	172

### Q17b - Tuesday

#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Drinks (max. 49)	0.00	8.00	0.24	0.93	0.86	195

#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Hours (max. 24)	0.00	24.00	1.38	5.07	25.68	172

### Q17c - Wednesday

#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Drinks (max. 49)	0.00	12.00	0.42	1.53	2.36	197

#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Hours (max. 24)	0.00	24.00	1.53	5.10	26.05	172

### Q17d - Thursday

#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Drinks (max. 49)	0.00	15.00	0.59	1.73	2.99	195

#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Hours (max. 24)	0.00	24.00	1.55	4.81	23.14	171

### Q17e - Friday

#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Drinks (max. 49)	0.00	18.00	2.56	3.11	9.69	216

#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Hours (max. 24)	0.00	24.00	3.02	4.62	21.39	198

### Q17f - Saturday

#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Drinks (max. 49)	0.00	24.00	3.16	3.38	11.44	219

#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Hours (max. 24)	0.00	24.00	3.60	4.69	21.97	199

### Q17g - Sunday

#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Drinks (max. 49)	0.00	10.00	0.42	1.30	1.70	195

#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Hours (max. 24)	0.00	24.00	1.67	5.42	29.35	172

**\*A drink is defined as 5oz. wine, 10oz. wine cooler, 12oz. beer (10oz. Microbrew, 8-9oz. Malt Liquor, Canadian beer, Ice beer), 1.5oz. of 80 proof liquor (mixed drink or shot)**


**Q18 - Men Only: Think back to the last two weeks, how many times have you had 5 or more drinks in a sitting?**

#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	*A drink is defined as 5oz. wine, 10oz. wine cooler, 12oz. beer (10oz. Microbrew, 8-9oz. Malt Liquor, Canadian beer, Ice beer), 1.5oz. of 80 proof liquor (mixed drink or shot) Men Only Think back to the last two weeks, how many times have you had 5 or more drinks in a sitting?	0.00	6.00	0.86	1.37	1.87	63

**19 - Women Only: Think back to the last two weeks, how many times have you had 4 or more drinks in a sitting?**

#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Women Only Think back to the last two weeks, how many times have you had 4 or more drinks in a sitting?	0.00	14.00	0.92	1.94	3.75	177

**Q20 - From which of the following sources do you obtain alcohol? (Check all that apply)**




#	Answer	%	Count
1	Self (Over 21)	38.05%	156
2	Friends under 21	5.85%	24
3	Friends older than 21	23.90%	98
4	Adult acquaintances	8.78%	36
5	Using fake/altered ID	1.46%	6
6	Using a false ID (someone else's)	0.98%	4
7	Bars or stores that did not ask for ID	4.15%	17
8	Parents (without their knowledge)	0.49%	2
9	Parents (with their knowledge)	13.17%	54
10	Other	3.17%	13
	Total	100%	410

Q21 - Think of the occasion you drank the most this past month, how many DRINKS did you consume?


		Frequency	Percent	Valid Percent	Cumulative Percent
	BLANK	148	43.7	43.7	43.7
	1	13	3.8	3.8	47.5
	1.5	1	0.3	0.3	47.8
	2	17	5	5	52.8
	2.5	1	0.3	0.3	53.1
	3	29	8.6	8.6	61.7
	3.5	1	0.3	0.3	62
	4	33	9.7	9.7	71.7
	4.5	1	0.3	0.3	72
	5	18	5.3	5.3	77.3
	6	16	4.7	4.7	82
	7	8	2.4	2.4	84.4
	7.5	1	0.3	0.3	84.7
	8	17	5	5	89.7
	9	2	0.6	0.6	90.3
	10	10	2.9	2.9	93.2
	11	2	0.6	0.6	93.8
	12	6	1.8	1.8	95.6
	13	1	0.3	0.3	95.9
	14	1	0.3	0.3	96.2
	15	5	1.5	1.5	97.7
	16	1	0.3	0.3	98
	17	1	0.3	0.3	98.3
	20	3	0.8	0.8	99.1
	24	1	0.3	0.3	99.4
	25	1	0.3	0.3	99.7
	27	1	0.3	0.3	100
	Total	339	100	100	

Q21\_did not drink - Q21\_did not drink



#	Answer	%	Count
1	Did not drink in the past month	100.00%	38
	Total	100%	38

Q22 - On the occasion you drank the most this past month, how many HOURS did you spend drinking?



#	Field	Minimum	Maximum	Mean	Std Dev	Variance	Count
1	On the occasion you drank the most this past month, how many HOURS did you spend drinking?	1.00	11.00	5.02	2.30	5.29	194


#	Answer	%	Count
1	Less than an hour	4.64%	9
2	1 hour	4.12%	8
3	2 hours	16.49%	32
4	3 hours	21.65%	42
5	4 hours	19.07%	37
6	5 hours	13.92%	27
7	6 hours	7.73%	15
8	7 hours	2.06%	4
9	8 hours	4.64%	9
10	9 hours	1.03%	2
11	10+ hours	4.64%	9
	Total	100%	194



**Q23 - How many DRINKS on average do you consume on a typical occasion? \*A drink is defined as 5oz. wine, 10oz. wine cooler, 12oz. beer (10oz. Microbrew, 8-9oz. Malt Liquor, Canadian beer, Ice beer), 1.5oz. of 80 proof liquor (mixed drink or shot)**

#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	How many DRINKS on average do you consume on a typical occasion? *A drink is defined as 5oz. wine, 10oz. wine cooler, 12oz. beer (10oz. Microbrew, 8-9oz. Malt Liquor, Canadian beer, Ice beer), 1.5oz. of 80 proof liquor (mixed drink or shot)	0.00	23.00	2.71	2.54	6.44	230


## Q24\_1 - When you drink, to what degree do you do the following:



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Eat food before or while drinking	1.00	4.00	3.17	0.77	0.60	231
2	Intentionally not eat food before drinking	1.00	4.00	1.28	0.53	0.28	230
3	Pace your drinks to 1 or fewer per hour	1.00	4.00	2.56	0.98	0.95	229
4	Set a limit on how many drinks you'll have	1.00	4.00	2.73	1.00	1.00	231
5	Alternate non-alcoholic beverages with alcoholic drinks	1.00	4.00	2.53	0.96	0.93	232
6	Keep track of how many drinks you've had	1.00	4.00	3.10	0.97	0.93	231
7	Make your own drinks to limit or minimize the amount of alcohol you have	1.00	4.00	2.51	1.01	1.02	230
8	Not accept drinks from a shared source (e.g., punch bowl)	1.00	4.00	2.77	1.19	1.41	231

#	Question	Never		Sometimes		Usually		Always		Total
1	Eat food before or while drinking	1.73%	4	17.75%	41	42.42%	98	38.10%	88	231
2	Intentionally not eat food before drinking	75.22%	173	21.74%	50	2.61%	6	0.43%	1	230
3	Pace your drinks to 1 or fewer per hour	14.85%	34	34.50%	79	30.13%	69	20.52%	47	229
4	Set a limit on how many drinks you'll have	13.85%	32	25.97%	60	33.77%	78	26.41%	61	231
5	Alternate non-alcoholic beverages with alcoholic drinks	15.09%	35	35.34%	82	30.60%	71	18.97%	44	232
6	Keep track of how many drinks you've had	7.36%	17	20.35%	47	27.71%	64	44.59%	103	231
7	Make your own drinks to limit or minimize the amount of alcohol you have	18.26%	42	33.04%	76	28.26%	65	20.43%	47	230
8	Not accept drinks from a shared source (e.g., punch bowl)	21.21%	49	21.21%	49	16.88%	39	40.69%	94	231

## Q24\_2 - When you drink, to what degree do you do the following:



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Start drinking before going out (i.e., pre-gaming)?	1.00	4.00	2.14	1.01	1.01	231
2	Have a friend let you know when you've had enough to drink	1.00	4.00	2.22	1.12	1.25	230
3	Limit the amount of money you bring to spend on alcohol	1.00	4.00	2.77	1.07	1.16	231
4	Hold a drink so people stop bothering you about drinking	1.00	4.00	1.65	0.90	0.82	231
5	Avoid drinking games	1.00	4.00	2.22	1.02	1.04	231
6	Know where your drink has been at all times	1.00	4.00	3.58	0.81	0.66	231
7	Stop drinking at a predetermined time	1.00	4.00	2.45	1.06	1.13	231
8	Put extra ice in your drink	1.00	4.00	1.97	1.00	0.99	231

#	Question	Never		Sometimes		Usually		Always		Total
1	Start drinking before going out (i.e., pre-gaming)?	32.47%	75	33.33%	77	22.08%	51	12.12%	28	231
2	Have a friend let you know when you've had enough to drink	35.65%	82	24.78%	57	21.30%	49	18.26%	42	230
3	Limit the amount of money you bring to spend on alcohol	16.88%	39	21.21%	49	29.87%	69	32.03%	74	231
4	Hold a drink so people stop bothering you about drinking	58.01%	134	26.41%	61	8.66%	20	6.93%	16	231
5	Avoid drinking games	28.14%	65	37.23%	86	19.48%	45	15.15%	35	231
6	Know where your drink has been at all times	5.19%	12	5.19%	12	15.58%	36	74.03%	171	231
7	Stop drinking at a predetermined time	21.21%	49	35.93%	83	19.91%	46	22.94%	53	231
8	Put extra ice in your drink	40.26%	93	32.90%	76	16.02%	37	10.82%	25	231


### Q24\_3 - When you drink, to what degree do you do the following:



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Avoid trying to "keep up" or "out drink" others	1.00	4.00	2.97	1.08	1.17	229
2	Monitor your BAC (Blood Alcohol Concentration) to reduce drinking-related problems	1.00	4.00	1.45	0.91	0.83	228
3	Choose a drink containing less alcohol	1.00	4.00	2.06	0.93	0.87	229
4	Choose a drink containing more alcohol	1.00	4.00	1.83	0.73	0.53	228
5	Chug alcohol	1.00	4.00	1.57	0.66	0.44	229
6	Do shots	1.00	4.00	2.10	0.85	0.73	229
7	Prevent a friend from driving* under the influence of alcohol	1.00	4.00	3.62	0.69	0.48	229
8	Use a designated non-driving driver* *Driving refers to motorized vehicles: cars, scooters, boats, motorcycles, etc.	1.00	4.00	3.46	0.86	0.74	227

#	Question	Never		Sometimes		Usually		Always		Total
1	Avoid trying to "keep up" or "out drink" others	13.54%	31	19.21%	44	23.58%	54	43.67%	100	229
2	Monitor your BAC (Blood Alcohol Concentration) to reduce drinking-related problems	75.88%	173	10.96%	25	5.26%	12	7.89%	18	228
3	Choose a drink containing less alcohol	30.57%	70	42.79%	98	16.59%	38	10.04%	23	229
4	Choose a drink containing more alcohol	34.21%	78	50.44%	115	13.16%	30	2.19%	5	228
5	Chug alcohol	50.66%	116	44.10%	101	3.06%	7	2.18%	5	229
6	Do shots	23.14%	53	52.40%	120	15.72%	36	8.73%	20	229
7	Prevent a friend from driving* under the influence of alcohol	1.31%	3	8.30%	19	17.90%	41	72.49%	166	229
8	Use a designated non-drinking driver* *Driving refers to motorized vehicles: cars, scooters, boats, motorcycles, etc.	4.41%	10	11.45%	26	17.62%	40	66.52%	151	227

Q24a - Do you drive a motorized vehicle (cars, scooters, boats, motorcycles, etc.)?




#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Do you drive a motorized vehicle (cars, scooters, boats, motorcycles, etc.)?	1.00	2.00	1.14	0.35	0.12	228

#	Answer	%	Count
1	Yes	85.96%	196
2	No	14.04%	32
	Total	100%	228




Q24b - When you drink, to what degree do you do the following:



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Make plans to avoid driving after drinking	1.00	4.00	3.62	0.68	0.46	196
2	Don't drink so you can serve as a designated driver	1.00	4.00	2.48	0.83	0.69	196

#	Question	Never		Sometimes		Usually		Always		Total
1	Make plans to avoid driving after drinking	1.02%	2	8.16%	16	18.88%	37	71.94%	141	196
2	Don't drink so you can serve as a designated driver	6.63%	13	53.57%	105	24.49%	48	15.31%	30	196


**Q25\_1 - How many times did the following things happen to you while you were drinking or because of your alcohol use during the last 30 days?**



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Had a hangover	1.00	4.00	1.72	0.89	0.79	227
2	Performed poorly on a test or important project	1.00	4.00	1.18	0.54	0.30	226
3	Got into trouble with campus police, residence hall, or other college authorities	1.00	4.00	1.06	0.33	0.11	227
4	Got into in trouble with off campus police or other local college authorities	1.00	4.00	1.06	0.35	0.12	225
5	Vandalized or damaged property	1.00	4.00	1.07	0.39	0.15	227
6	Got into an argument or verbal fight	1.00	4.00	1.18	0.55	0.30	226
7	Got into a physical fight	1.00	4.00	1.04	0.32	0.10	226
8	Got nauseated or vomited	1.00	4.00	1.48	0.78	0.61	226
9	Drove a car while under the influence	1.00	4.00	1.20	0.54	0.29	224

#	Question	Never		One time		A few times		Often		Total
1	Had a hangover	53.30%	121	25.11%	57	17.62%	40	3.96%	9	227
2	Performed poorly on a test or important project	88.94%	201	5.31%	12	4.87%	11	0.88%	2	226
3	Got into trouble with campus police, residence hall, or other college authorities	96.48%	219	1.76%	4	1.32%	3	0.44%	1	227
4	Got into in trouble with off campus police or other local college authorities	96.44%	217	1.33%	3	1.78%	4	0.44%	1	225
5	Vandalized or damaged property	96.48%	219	1.76%	4	0.44%	1	1.32%	3	227
6	Got into an argument or verbal fight	88.05%	199	7.08%	16	3.54%	8	1.33%	3	226
7	Got into a physical fight	98.23%	222	0.44%	1	0.44%	1	0.88%	2	226
8	Got nauseated or vomited	67.70%	153	19.47%	44	10.18%	23	2.65%	6	226
9	Drove a car while under the influence	86.16%	193	8.93%	20	4.02%	9	0.89%	2	224

**Q25\_2 - How many times did the following things happen to you while you were drinking or because of your alcohol use during the last 30 days?**



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Rode in a car with the driver under the influence	1.00	4.00	1.27	0.59	0.35	226
2	Went to class under the influence	1.00	4.00	1.07	0.38	0.15	226
3	Missed a class	1.00	4.00	1.16	0.53	0.28	225
4	Someone expressed concern about your drinking or related behavior	1.00	4.00	1.09	0.38	0.15	225
5	Thought you might have a drinking problem	1.00	4.00	1.14	0.52	0.27	225
6	Forgot where you were or what you did	1.00	4.00	1.24	0.62	0.38	225
7	Passed out	1.00	4.00	1.12	0.45	0.20	225
8	Said something you later regretted	1.00	4.00	1.28	0.63	0.40	225
9	Did something you later regretted	1.00	4.00	1.23	0.56	0.31	225

#	Question	Never		One time		A few times		Often		Total
1	Rode in a car with the driver under the influence	79.65%	180	13.72%	31	6.19%	14	0.44%	1	226
2	Went to class under the influence	96.02%	217	1.77%	4	1.33%	3	0.88%	2	226
3	Missed a class	89.33%	201	6.22%	14	3.11%	7	1.33%	3	225
4	Someone expressed concern about your drinking or related behavior	93.33%	210	4.44%	10	1.78%	4	0.44%	1	225
5	Thought you might have a drinking problem	92.00%	207	3.11%	7	3.56%	8	1.33%	3	225
6	Forgot where you were or what you did	84.00%	189	8.89%	20	5.78%	13	1.33%	3	225
7	Passed out	92.89%	209	3.11%	7	3.56%	8	0.44%	1	225
8	Said something you later regretted	80.44%	181	11.56%	26	7.11%	16	0.89%	2	225
9	Did something you later regretted	83.56%	188	10.67%	24	5.33%	12	0.44%	1	225


**Q25\_3 - How many times did the following things happen to you while you were drinking or because of your alcohol use during the last 30 days?**



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Have been taken advantage of sexually	1.00	4.00	1.10	0.42	0.18	225
2	Had sex when you didn't want to	1.00	4.00	1.10	0.43	0.19	225
3	Had unprotected sex when you otherwise might not have	1.00	4.00	1.09	0.38	0.14	224
4	Tried unsuccessfully to reduce drinking	1.00	4.00	1.12	0.43	0.19	225
5	Seriously thought about suicide	1.00	3.00	1.06	0.28	0.08	224
6	Seriously tried to commit suicide	1.00	3.00	1.03	0.21	0.04	224
7	Injured yourself	1.00	3.00	1.05	0.28	0.08	225
8	Injured others	1.00	3.00	1.02	0.19	0.04	225
9	Spent too much money	1.00	4.00	1.45	0.79	0.63	224
10	Felt that you needed more alcohol that you used in order to get the same effect (during the last 30 days)	1.00	4.00	1.17	0.54	0.29	224

#	Question	Never		One time		A few times		Often		Total
1	Have been taken advantage of sexually	94.22%	212	2.22%	5	3.11%	7	0.44%	1	225
2	Had sex when you didn't want to	94.22%	212	2.67%	6	2.22%	5	0.89%	2	225
3	Had unprotected sex when you otherwise might not have	93.75%	210	4.02%	9	1.79%	4	0.45%	1	224
4	Tried unsuccessfully to reduce drinking	91.56%	206	5.33%	12	2.67%	6	0.44%	1	225
5	Seriously thought about suicide	94.64%	212	4.46%	10	0.89%	2	0.00%	0	224
6	Seriously tried to commit suicide	98.21%	220	0.89%	2	0.89%	2	0.00%	0	224
7	Injured yourself	96.00%	216	2.67%	6	1.33%	3	0.00%	0	225
8	Injured others	99.11%	223	0.00%	0	0.89%	2	0.00%	0	225
9	Spent too much money	72.32%	162	12.95%	29	12.50%	28	2.23%	5	224
10	Felt that you needed more alcohol that you used in order to get the same effect (during the last 30 days)	88.84%	199	5.80%	13	4.46%	10	0.89%	2	224

Q26a - Did you use alcohol in the past 30 days?




#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Did you use alcohol in the past 30 days?	1.00	2.00	1.16	0.37	0.14	226

#	Answer	%	Count
1	Yes	83.63%	189
2	No	16.37%	37
	Total	100%	226




## Q26b - In the past 30 days, where and how often have you used Alcohol? Location



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	On-campus residences	1.00	4.00	1.23	0.61	0.37	186
2	In campus buildings	1.00	3.00	1.06	0.32	0.10	185
3	On campus grounds (outside)	1.00	4.00	1.17	0.48	0.23	186
4	Fraternity house	1.00	4.00	1.48	0.87	0.75	186
5	Sorority house	1.00	4.00	1.07	0.37	0.14	186
6	Other Greek Functions	1.00	4.00	1.16	0.54	0.29	185
7	Bars/restaurants	1.00	4.00	2.46	0.98	0.96	186
8	Off-campus residences	1.00	4.00	2.59	1.06	1.12	186
9	In a car	1.00	4.00	1.22	0.59	0.35	186
10	Other location	1.00	4.00	1.73	1.03	1.06	184

#	Question	Never		Once		A few times		Often		Total
1	On-campus residences	85.48%	159	6.99%	13	6.45%	12	1.08%	2	186
2	In campus buildings	95.68%	177	2.16%	4	2.16%	4	0.00%	0	185
3	On campus grounds (outside)	86.56%	161	10.22%	19	2.69%	5	0.54%	1	186
4	Fraternity house	73.12%	136	10.22%	19	12.37%	23	4.30%	8	186
5	Sorority house	96.24%	179	1.08%	2	2.15%	4	0.54%	1	186
6	Other Greek Functions	90.81%	168	2.70%	5	5.95%	11	0.54%	1	185
7	Bars/restaurants	20.97%	39	26.34%	49	38.17%	71	14.52%	27	186
8	Off-campus residences	22.04%	41	18.82%	35	37.10%	69	22.04%	41	186
9	In a car	86.56%	161	6.45%	12	5.91%	11	1.08%	2	186
10	Other location	61.41%	113	13.04%	24	16.85%	31	8.70%	16	184


Q26c - In the past 30 days, where and how often have you used Alcohol? Events



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Pre-gaming	1.00	4.00	2.05	1.06	1.12	186
2	Tailgating	1.00	4.00	1.59	0.93	0.87	187
3	Drinking games	1.00	4.00	1.71	0.94	0.88	187
4	Birthday celebration	1.00	4.00	1.76	0.88	0.78	187
5	On a date	1.00	4.00	1.60	0.89	0.80	187
6	At a party	1.00	4.00	2.18	1.10	1.20	187
7	Relaxing in your residence	1.00	4.00	2.26	1.10	1.22	187
8	Visiting at a friend's residence	1.00	4.00	1.84	1.00	0.99	187
9	Holiday	1.00	4.00	1.39	0.84	0.71	187
10	Academic break	1.00	4.00	1.51	0.93	0.86	187
11	Sporting event	1.00	4.00	1.66	0.96	0.91	188
12	Other event	1.00	4.00	1.53	0.93	0.86	184

#	Question	Never		Once		A few times		Often		Total
1	Pre-gaming	43.55%	81	17.20%	32	29.57%	55	9.68%	18	186
2	Tailgating	66.31%	124	14.97%	28	12.30%	23	6.42%	12	187
3	Drinking games	58.82%	110	16.04%	30	20.86%	39	4.28%	8	187
4	Birthday celebration	49.20%	92	30.48%	57	15.51%	29	4.81%	9	187
5	On a date	63.64%	119	16.04%	30	16.58%	31	3.74%	7	187
6	At a party	39.04%	73	18.18%	34	28.88%	54	13.90%	26	187
7	Relaxing in your residence	34.22%	64	22.46%	42	26.20%	49	17.11%	32	187
8	Visiting at a friend's residence	52.41%	98	17.65%	33	23.53%	44	6.42%	12	187
9	Holiday	80.21%	150	4.81%	9	10.70%	20	4.28%	8	187
10	Academic break	73.80%	138	7.49%	14	12.83%	24	5.88%	11	187
11	Sporting event	62.23%	117	14.89%	28	17.02%	32	5.85%	11	188
12	Other event	71.74%	132	9.78%	18	12.50%	23	5.98%	11	184


Marijuana\_Check - Did you use marijuana in the last 30 days?



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Did you use marijuana in the last 30 days?	1.00	2.00	1.74	0.44	0.19	305

#	Answer	%	Count
1	Yes	25.57%	78
2	No	74.43%	227
	Total	100%	305


## Q27 - In the past 30 days, where have you used Marijuana?



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	On-campus residences	1.00	4.00	1.50	1.01	1.01	76
2	In campus buildings	1.00	4.00	1.27	0.78	0.61	77
3	On campus grounds (outside)	1.00	4.00	1.40	0.90	0.81	77
4	Fraternity house	1.00	4.00	1.29	0.75	0.57	77
5	Sorority house	1.00	4.00	1.09	0.43	0.19	76
6	Other Greek Functions	1.00	4.00	1.19	0.65	0.42	77
7	Bars/restaurants	1.00	4.00	1.43	0.89	0.79	77
8	Off-campus residences	1.00	4.00	2.84	1.06	1.12	77
9	In a car	1.00	4.00	1.79	1.04	1.07	77
10	Other	1.00	4.00	1.77	1.14	1.30	75

#	Question	Never		Once		A few times		Often		Total
1	On-campus residences	77.63%	59	5.26%	4	6.58%	5	10.53%	8	76
2	In campus buildings	87.01%	67	5.19%	4	1.30%	1	6.49%	5	77
3	On campus grounds (outside)	80.52%	62	6.49%	5	5.19%	4	7.79%	6	77
4	Fraternity house	85.71%	66	3.90%	3	6.49%	5	3.90%	3	77
5	Sorority house	94.74%	72	2.63%	2	1.32%	1	1.32%	1	76
6	Other Greek Functions	90.91%	70	1.30%	1	5.19%	4	2.60%	2	77
7	Bars/restaurants	79.22%	61	3.90%	3	11.69%	9	5.19%	4	77
8	Off-campus residences	18.18%	14	10.39%	8	40.26%	31	31.17%	24	77
9	In a car	58.44%	45	11.69%	9	22.08%	17	7.79%	6	77
10	Other	65.33%	49	5.33%	4	16.00%	12	13.33%	10	75


**Q28 - From which of the following sources do you obtain marijuana? (Check all that apply)**



#	Answer	%	Count
1	Friends at school	18.38%	25
2	Friends at home	16.91%	23
3	Drug dealer	13.97%	19
4	Parents (with their knowledge)	4.41%	6
5	Parents (without their knowledge)	0.00%	0
6	Doctor (prescription/ medical marijuana)	7.35%	10
7	Acquaintances	9.56%	13
8	Growing on your own	1.47%	2
9	Other	27.94%	38
	Total	100%	136



Q29 - During the last 30 days, how many times have you driven a car under the influence of marijuana?




#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	During the last 30 days, how many times have you driven a car under the influence of marijuana?	1.00	6.00	1.86	1.47	2.15	77

#	Answer	%	Count
1	Zero times	64.94%	50
2	One time	14.29%	11
3	Two times	5.19%	4
4	3-5 times	7.79%	6
5	6-9 times	1.30%	1
6	10 or more	6.49%	5
	Total	100%	77

Q30 - How old were you the first time you drank to the point of intoxication?


#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	How old were you the first time you drank to the point of intoxication?	2.00	35.00	17.64	3.24	10.50	197

Q30\_never - Q30\_never



#	Answer	%	Count
1	Never drank to intoxication	100.00%	104
	Total	100%	104


**PDrug\_Check - Did you use Prescription drugs within the last year?**



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Did you use Prescription drugs within the last year?	1.00	2.00	1.58	0.49	0.24	304

#	Answer	%	Count
1	Yes	42.43%	129
2	No	57.57%	175
	Total	100%	304


**Q31A\_Pain Medication - Within the last year, approximately how often did YOU use Pain medication (Vicodin, OxyContin) without a prescription or other than prescribed? (mark what best represents your use)**



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Within the last year, approximately how often did YOU use Pain medication (Vicodin, OxyContin) without a prescription or other than prescribed? (mark what best represents your use)	1.00	5.00	1.12	0.54	0.29	129


#	Answer	%	Count
1	Did not use	93.80%	121
2	Once/year	2.33%	3
3	6 times/year	2.33%	3
4	Once/month	0.78%	1
5	Twice/month	0.78%	1
6	Once/week	0.00%	0
7	3 times/week	0.00%	0
8	5 times/week	0.00%	0
9	Every day	0.00%	0
	Total	100%	129

**Q31A.2\_Pain Medication - From which of the following sources did you obtain Pain medication (Vicodin, OxyContin)? (Check all that apply)**



#	Answer	%	Count
1	Legitimate prescription	30.00%	3
2	Fake or forged prescription	10.00%	1
3	Friends at home	10.00%	1
4	Friends at school	20.00%	2
5	Taken from a family member	0.00%	0
6	Given by a family member	30.00%	3
7	Drug dealer	0.00%	0
8	Acquaintances	0.00%	0
9	Other	0.00%	0
	Total	100%	10


**Q31A\_Sedatives - Within the last year, approximately how often did YOU use Sedatives/Anti-Anxiety (Valium, Xanax) without a prescription or other than prescribed? (mark what best represents your use)**



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Within the last year, approximately how often did YOU use Sedatives/Anti-Anxiety (Valium, Xanax) without a prescription or other than prescribed? (mark what best represents your use)	1.00	7.00	1.16	0.80	0.63	129


#	Answer	%	Count
1	Did not use	93.80%	121
2	Once/year	3.10%	4
3	6 times/year	0.78%	1
4	Once/month	0.00%	0
5	Twice/month	0.78%	1
6	Once/week	0.78%	1
7	3 times/week	0.78%	1
8	5 times/week	0.00%	0
9	Every day	0.00%	0
	Total	100%	129

**Q31A.2\_Sedatives - From which of the following sources did you obtain Sedatives/Anti-Anxiety (Valium, Xanax)? (Check all that apply)**



#	Answer	%	Count
1	Legitimate prescription	25.00%	3
2	Fake or forged prescription	0.00%	0
3	Friends at home	25.00%	3
4	Friends at school	25.00%	3
5	Taken from a family member	0.00%	0
6	Given by a family member	8.33%	1
7	Drug dealer	16.67%	2
8	Acquaintances	0.00%	0
9	Other	0.00%	0
	Total	100%	12

**Q31A\_Stimulants - Within the last year, approximately how often did YOU use Stimulants (Adderall, Ritalin) without a prescription or other than prescribed?(mark what best represents your use)**




#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Within the last year, approximately how often did YOU use Stimulants (Adderall, Ritalin) without a prescription or other than prescribed?(mark what best represents your use)	1.00	6.00	1.28	0.91	0.84	129

#	Answer	%	Count
1	Did not use	88.37%	114
2	Once/year	5.43%	7
3	6 times/year	0.78%	1
4	Once/month	1.55%	2
5	Twice/month	3.10%	4
6	Once/week	0.78%	1
7	3 times/week	0.00%	0
8	5 times/week	0.00%	0
9	Every day	0.00%	0
	Total	100%	129




**Q31A.2\_Stimulants - From which of the following sources did you obtain Stimulants (Adderall, Ritalin)? (Check all that apply)**



#	Answer	%	Count
1	Legitimate prescription	26.32%	5
2	Fake or forged prescription	0.00%	0
3	Friends at home	15.79%	3
4	Friends at school	42.11%	8
5	Taken from a family member	5.26%	1
6	Given by a family member	0.00%	0
7	Drug dealer	5.26%	1
8	Acquaintances	0.00%	0
9	Other	5.26%	1
	Total	100%	19


Q31A\_SleepMed - Within the last year, approximately how often did YOU use Sleep medication (Lunesta, Ambien) without a prescription or other than prescribed? (mark what best represents your use)



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Within the last year, approximately how often did YOU use Sleep medication (Lunesta, Ambien) without a prescription or other than prescribed? (mark what best represents your use)	1.00	7.00	1.12	0.66	0.43	129


#	Answer	%	Count
1	Did not use	95.35%	123
2	Once/year	0.78%	1
3	6 times/year	2.33%	3
4	Once/month	0.78%	1
5	Twice/month	0.00%	0
6	Once/week	0.00%	0
7	3 times/week	0.78%	1
8	5 times/week	0.00%	0
9	Every day	0.00%	0
	Total	100%	129

**Q31A.2\_SleepMed - From which of the following sources did you obtain Sleep medication (Lunesta, Ambien)? (Check all that apply)**



#	Answer	%	Count
1	Legitimate prescription	11.11%	1
2	Fake or forged prescription	11.11%	1
3	Friends at home	11.11%	1
4	Friends at school	11.11%	1
5	Taken from a family member	11.11%	1
6	Given by a family member	22.22%	2
7	Drug dealer	11.11%	1
8	Acquaintances	0.00%	0
9	Other	11.11%	1
	Total	100%	9


**Q31A\_Antidepress - Within the last year, approximately how often did YOU use Antidepressants (Wellbutrin, Cymbalta) without a prescription or other than prescribed? (mark what best represents your use)**



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Within the last year, approximately how often did YOU use Antidepressants (Wellbutrin, Cymbalta) without a prescription or other than prescribed? (mark what best represents your use)	1.00	9.00	1.22	1.28	1.63	129


#	Answer	%	Count
1	Did not use	96.90%	125
2	Once/year	0.00%	0
3	6 times/year	0.00%	0
4	Once/month	0.00%	0
5	Twice/month	0.00%	0
6	Once/week	0.78%	1
7	3 times/week	0.00%	0
8	5 times/week	0.00%	0
9	Every day	2.33%	3
	Total	100%	129

**Q31A.2\_Antidepress - From which of the following sources did you obtain Antidepressants (Wellbutrin, Cymbalta)? (Check all that apply)**



#	Answer	%	Count
1	Legitimate prescription	75.00%	3
2	Fake or forged prescription	0.00%	0
3	Friends at home	0.00%	0
4	Friends at school	25.00%	1
5	Taken from a family member	0.00%	0
6	Given by a family member	0.00%	0
7	Drug dealer	0.00%	0
8	Acquaintances	0.00%	0
9	Other	0.00%	0
	Total	100%	4


**Q31A\_MedicalMAr - Within the last year, approximately how often did YOU use Medical Marijuana without a prescription or other than prescribed? (mark what best represents your use)**



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Within the last year, approximately how often did YOU use Medical Marijuana without a prescription or other than prescribed? (mark what best represents your use)	1.00	9.00	1.66	1.80	3.26	128


#	Answer	%	Count
1	Did not use	83.59%	107
2	Once/year	4.69%	6
3	6 times/year	1.56%	2
4	Once/month	1.56%	2
5	Twice/month	0.78%	1
6	Once/week	2.34%	3
7	3 times/week	2.34%	3
8	5 times/week	0.78%	1
9	Every day	2.34%	3
	Total	100%	128

**Q31A.2\_MedicalMAr - From which of the following sources did you obtain Medical Marijuana? (Check all that apply)**



#	Answer	%	Count
1	Legitimate prescription	8.00%	2
2	Fake or forged prescription	0.00%	0
3	Friends at home	20.00%	5
4	Friends at school	4.00%	1
5	Taken from a family member	0.00%	0
6	Given by a family member	16.00%	4
7	Drug dealer	16.00%	4
8	Acquaintances	24.00%	6
9	Other	12.00%	3
	Total	100%	25

**Q31B\_1 - Within the last year, approximately how often did YOU use other substances not prescribed?**




#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Alcohol	1.00	9.00	3.64	2.26	5.09	300
2	Recreational marijuana (not medicinal)	1.00	9.00	2.53	2.58	6.65	302
3	Cigarettes, Cigars, Pipe tobacco	1.00	9.00	1.45	1.46	2.13	303
4	E-Cigarettes (hookah, vaping)	1.00	9.00	2.39	2.79	7.78	299
5	Chewing tobacco, snuff, pouches	1.00	8.00	1.15	0.79	0.62	302
6	Cocaine	1.00	7.00	1.08	0.65	0.42	303
7	Amphetamines/ Methamphetamine	1.00	8.00	1.08	0.67	0.45	303



#	Question	Did not use		1x/ year		6x/ year		1x/ month		2x/ month		1x/ week		3x/ week		5x/ week		Every day		Total
1	Alcohol	29.00 %	87	9.33 %	28	12.3 3%	37	10.00%	3 0	12.67%	3 8	14.67 %	44	8.33 %	25	3.00 %	9	0.67 %	2	300
2	Recreational marijuana (not medicinal)	64.57 %	195	6.95 %	21	5.30 %	16	2.65%	8	4.30%	1 3	3.64 %	11	3.31 %	10	1.66 %	5	7.62 %	23	302
3	Cigarettes, Cigars, Pipe tobacco	86.80 %	263	4.29 %	13	2.64 %	8	0.99%	3	1.65%	5	0.66 %	2	0.33 %	1	0.99 %	3	1.65 %	5	303
4	E-Cigarettes (hookah, vaping)	75.25 %	225	3.34 %	10	2.68 %	8	1.00%	3	1.00%	3	1.67 %	5	2.01 %	6	1.00 %	3	12.04 %	36	299
5	Chewing tobacco, snuff, pouches	94.70 %	286	1.99 %	6	0.99 %	3	0.99%	3	0.33%	1	0.00 %	0	0.33 %	1	0.66 %	2	0.00 %	0	302
6	Cocaine	98.02 %	297	0.33 %	1	0.33 %	1	0.00%	0	0.33%	1	0.00 %	0	0.99 %	3	0.00 %	0	0.00 %	0	303
7	Amphetamines/ Methamphetamine	98.02 %	297	0.66 %	2	0.00 %	0	0.00%	0	0.33%	1	0.00 %	0	0.66 %	2	0.33 %	1	0.00 %	0	303


**Q31B\_2 - Within the last year, approximately how often did YOU use other substances not prescribed?**



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Opiates	1.00	6.00	1.03	0.34	0.12	302
2	Steroids	1.00	5.00	1.03	0.27	0.08	301
3	Hallucinogens	1.00	6.00	1.07	0.39	0.15	301
4	Inhalants (glue, solvents, gas)	1.00	6.00	1.04	0.38	0.14	301
5	Synthetic Drugs (bath salts, K2, etc)	1.00	7.00	1.02	0.34	0.12	302
6	Designer Drugs (ecstasy, MDMA)	1.00	4.00	1.02	0.21	0.04	302
7	Other illegal drugs	1.00	6.00	1.02	0.29	0.09	300

#	Question	Did not use		1x/ year		6x/ year		1x/ month		2x/ month		1x/ week		3x/ week		5x/ week		Every day		Total
1	Opiates	99.01%	299	0.33%	1	0.00%	0	0.33%	1	0.00%	0	0.33%	1	0.00%	0	0.00%	0	0.00%	0	302
2	Steroids	98.34%	296	1.00%	3	0.33%	1	0.00%	0	0.33%	1	0.00%	0	0.00%	0	0.00%	0	0.00%	0	301
3	Hallucinogens	95.02%	286	3.65%	11	1.00%	3	0.00%	0	0.00%	0	0.33%	1	0.00%	0	0.00%	0	0.00%	0	301
4	Inhalants (glue, solvents, gas)	98.34%	296	1.00%	3	0.00%	0	0.00%	0	0.33%	1	0.33%	1	0.00%	0	0.00%	0	0.00%	0	301
5	Synthetic Drugs (bath salts, K2, etc)	99.67%	301	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.33%	1	0.00%	0	0.00%	0	302
6	Designer Drugs (ecstasy, MDMA)	98.34%	297	1.32%	4	0.00%	0	0.33%	1	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	302
7	Other illegal drugs	99.33%	298	0.33%	1	0.00%	0	0.00%	0	0.00%	0	0.33%	1	0.00%	0	0.00%	0	0.00%	0	300


**Q32.1 - Approximately how often do you think the Average Student on your campus uses... (mark what best represents your perception)**



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Pain medication (Vicodin, OxyContin)	1.00	9.00	2.45	1.84	3.40	299
2	Sedatives/Anti-Anxiety (Valium, Xanax)	1.00	9.00	3.35	2.49	6.20	299
3	Stimulants (Adderall, Ritalin)	1.00	9.00	3.78	2.57	6.62	299
4	Sleep medication (Lunesta, Ambien)	1.00	9.00	3.40	2.62	6.87	296
5	Antidepressants (Wellbutrin, Cymbalta)	1.00	9.00	3.98	3.11	9.64	296
6	Medical Marijuana	1.00	9.00	4.43	3.04	9.26	299

#	Question	Did not use		1x/ year		6x/ year		1x/ mont h		2x/ mont h		1x/ week		3x/ week		5x/ week		Every day		Total
1	Pain medication (Vicodin, OxyContin)	47.83 %	143	12.37 %	37	17.06 %	51	8.03%	24	6.69%	20	3.34%	10	3.34%	10	0.00 %	0	1.34%	4	299
2	Sedatives/Anti- Anxiety (Valium, Xanax)	39.46 %	118	8.70%	26	10.70 %	32	10.03 %	30	6.35%	19	9.36%	28	8.36%	25	3.68 %	11	3.34%	10	299
3	Stimulants (Adderall, Ritalin)	34.11 %	102	6.35%	19	9.70%	29	9.70%	29	9.36%	28	12.37 %	37	9.70%	29	4.35 %	13	4.35%	13	299
4	Sleep medication (Lunesta, Ambien)	43.58 %	129	7.09%	21	7.09%	21	7.77%	23	5.41%	16	12.84 %	38	8.11%	24	4.05 %	12	4.05%	12	296
5	Antidepressant s (Wellbutrin, Cymbalta)	40.20 %	119	7.77%	23	5.74%	17	5.74%	17	5.41%	16	5.41%	16	8.78%	26	7.09 %	21	13.85 %	41	296
6	Medical Marijuana	36.12 %	108	3.34%	10	3.34%	10	6.02%	18	6.69%	20	11.04 %	33	13.04 %	39	8.36 %	25	12.04 %	36	299


**Q32.2\_1 - Approximately how often do you think the Average Student on your campus uses... (mark what best represents your perception)**



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Alcohol	1.00	9.00	6.45	1.66	2.77	300
2	Recreational marijuana (not medicinal)	1.00	9.00	6.46	2.12	4.49	300
3	Cigarettes, Cigars, Pipe tobacco	1.00	9.00	5.32	2.60	6.74	299
4	E-Cigarettes (hookah, vaping)	1.00	9.00	7.21	2.35	5.50	299
5	Chewing tobacco, snuff, pouches	1.00	9.00	4.20	2.72	7.38	296
6	Cocaine	1.00	9.00	2.63	1.82	3.32	298
7	Amphetamines/ Methamphetamine	1.00	9.00	2.29	1.83	3.35	298

#	Question	Did not use		1x/ year		6x/ year		1x/ mont h		2x/ mont h		1x/ week		3x/ week		5x/ week		Every day		Total
1	Alcohol	4.67%	14	0.00%	0	1.33 %	4	3.33 %	10	5.33 %	16	27.00 %	81	39.67 %	119	11.67 %	35	7.00%	21	300
2	Recreational marijuana (not medicinal)	7.33%	22	0.67%	2	2.00 %	6	3.67 %	11	8.00 %	24	19.33 %	58	28.00 %	84	14.33 %	43	16.67 %	50	300
3	Cigarettes, Cigars, Pipe tobacco	16.05 %	48	5.02%	15	4.35 %	13	6.02 %	18	12.04 %	36	20.74 %	62	16.05 %	48	6.02 %	18	13.71 %	41	299
4	E-Cigarettes (hookah, vaping)	7.36%	22	0.33%	1	2.34 %	7	3.34 %	10	3.34 %	10	9.03 %	27	16.39 %	49	13.38 %	40	44.48 %	133	299
5	Chewing tobacco, snuff, pouches	29.39 %	87	8.45%	25	5.74 %	17	9.12 %	27	8.11 %	24	13.18 %	39	14.19 %	42	5.07 %	15	6.76%	20	296
6	Cocaine	38.93 %	11 6	19.80 %	59	12.42 %	37	11.74 %	35	8.39 %	25	5.37 %	16	2.01 %	6	0.34 %	1	1.01%	3	298
7	Amphetamines/ Methamphetami ne	51.34 %	15 3	18.79 %	56	7.38 %	22	10.07 %	30	5.70 %	17	2.01 %	6	2.35 %	7	1.01 %	3	1.34%	4	298

**Q32.2\_2 - Approximately how often do you think the Average Student on your campus uses... (mark what best represents your perception)**



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Opiates	1.00	9.00	2.43	1.83	3.34	295
2	Steroids	1.00	9.00	2.55	1.92	3.68	291
3	Hallucinogens	1.00	9.00	2.73	1.77	3.14	296
4	Inhalants (glue, solvents, gas)	1.00	9.00	1.97	1.55	2.40	296
5	Synthetic Drugs (bath salts, K2, etc)	1.00	9.00	2.00	1.52	2.31	296
6	Designer Drugs (ecstasy, MDMA)	1.00	9.00	2.49	1.76	3.09	296
7	Other illegal drugs	1.00	9.00	2.51	1.91	3.65	295



#	Question	Did not use		1x/ year		6x/ year		1x/ month		2x/ month		1x/ week		3x/ week		5x/ week		Every day		Total
1	Opiates	48.47%	143	15.93%	47	8.14%	24	11.19%	33	9.49%	28	3.05%	9	2.71%	8	0.00%	0	1.02%	3	295
2	Steroids	45.70%	133	15.46%	45	10.31%	30	13.06%	38	6.87%	20	3.09%	9	3.44%	10	0.69%	2	1.37%	4	291
3	Hallucinogens	33.78%	100	19.93%	59	15.20%	45	15.54%	46	8.45%	25	3.72%	11	1.69%	5	0.34%	1	1.35%	4	296
4	Inhalants (glue, solvents, gas)	59.46%	176	17.23%	51	5.07%	15	10.14%	30	4.39%	13	2.36%	7	0.34%	1	0.00%	0	1.01%	3	296
5	Synthetic Drugs (bath salts, K2, etc)	56.42%	167	18.58%	55	8.78%	26	8.11%	24	4.73%	14	2.03%	6	0.34%	1	0.00%	0	1.01%	3	296
6	Designer Drugs (ecstasy, MDMA)	40.54%	120	23.31%	69	10.47%	31	9.80%	29	9.46%	28	3.38%	10	1.69%	5	0.34%	1	1.01%	3	296
7	Other illegal drugs	44.07%	130	20.34%	60	8.81%	26	10.85%	32	8.14%	24	3.73%	11	1.02%	3	1.02%	3	2.03%	6	295

**Q33 - Consider a typical week during the last three months. How much alcohol, on average (measured in number of drinks), does a typical student at your school drink on each day of a typical week? \*A drink is defined as 5oz. wine, 10oz. wine cooler, 12oz. beer (10oz. Microbrew, 8-9oz. Malt Liquor, Canadian beer, Ice beer), 1.5oz. of 80 proof liquor (mixed drink or shot)**

#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Monday	0.00	25.00	0.98	2.50	6.26	253

#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Tuesday	0.00	25.00	1.08	2.51	6.29	251

#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Wednesday	0.00	25.00	1.26	2.57	6.59	251

#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Thursday	0.00	37.00	2.46	3.41	11.63	258

#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Friday	0.00	49.00	5.67	5.24	27.48	274


#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Saturday	0.00	49.00	6.20	5.57	31.01	271

#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Sunday	0.00	49.00	1.98	4.00	15.96	252

**Q34 - How many drinks on average do you think a typical student at your school consumes on a typical occasion?**

#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	How many drinks on average do you think a typical student at your school consumes on a typical occasion?	0.00	20.00	5.01	3.08	9.46	284


### Q35 - How often does OTHER STUDENTS' drinking affect you in the following ways?



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Interrupts your studying	1.00	4.00	1.38	0.73	0.53	293
2	Makes you feel unsafe	1.00	4.00	1.58	0.85	0.72	292
3	Messes up your physical living space (Cleanliness, neatness, organization, etc.)	1.00	4.00	1.37	0.76	0.58	293
4	Prevents you from enjoying events (Concerts, sports, social activities, etc.)	1.00	4.00	1.63	0.91	0.83	291
5	Makes you think of transferring to another school	1.00	4.00	1.16	0.57	0.33	291
6	Interrupts your sleep	1.00	4.00	1.60	0.92	0.85	293
7	Having to take care of another student who has had too much to drink	1.00	4.00	1.55	0.88	0.77	292
8	Reduces your school's academic reputation	1.00	4.00	1.74	1.10	1.22	292

#	Question	Never		One time		A few times		Often		Total
1	Interrupts your studying	76.11%	223	11.26%	33	11.60%	34	1.02%	3	293
2	Makes you feel unsafe	63.36%	185	17.12%	50	17.47%	51	2.05%	6	292
3	Messes up your physical living space (Cleanliness, neatness, organization, etc.)	78.50%	230	8.19%	24	11.26%	33	2.05%	6	293
4	Prevents you from enjoying events (Concerts, sports, social activities, etc.)	62.89%	183	14.78%	43	18.56%	54	3.78%	11	291
5	Makes you think of transferring to another school	90.72%	264	4.47%	13	2.41%	7	2.41%	7	291
6	Interrupts your sleep	65.87%	193	11.95%	35	18.09%	53	4.10%	12	293
7	Having to take care of another student who has had too much to drink	67.12%	196	14.38%	42	14.73%	43	3.77%	11	292
8	Reduces your school's academic reputation	65.41%	191	7.19%	21	15.41%	45	11.99%	35	292

**Q36 - During the past 30 days, to what extent have YOU engaged in or experienced any of the following behaviors?**




#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Refused an offer of alcohol	1.00	6.00	2.09	1.25	1.56	293
2	Bragged about your alcohol use	1.00	5.00	1.08	0.41	0.17	293
3	Heard someone else brag about his/her alcohol use	1.00	6.00	2.14	1.34	1.80	293
4	Experience peer pressure to drink	1.00	6.00	1.57	1.07	1.14	292
5	Thought another person was unattractive because he/she was too drunk	1.00	6.00	1.79	1.27	1.62	292
6	Told another person that he/she was not	1.00	5.00	1.18	0.67	0.45	292

attractive because he/she was too drunk

#	Question	Zero times		One time		Two times		3-5 times		6-9 times		10 or more times		Total
1	Refused an offer of alcohol	47.10%	138	18.09%	53	19.11%	56	11.60%	34	3.07%	9	1.02%	3	293
2	Bragged about your alcohol use	95.56%	280	2.05%	6	1.71%	5	0.34%	1	0.34%	1	0.00%	0	293
3	Heard someone else brag about his/her alcohol use	50.17%	147	11.95%	35	17.06%	50	16.38%	48	3.07%	9	1.37%	4	293
4	Experience peer pressure to drink	70.21%	205	14.38%	42	7.53%	22	5.14%	15	1.37%	4	1.37%	4	292
5	Thought another person was unattractive because he/she was too drunk	63.36%	185	14.38%	42	9.25%	27	7.19%	21	4.11%	12	1.71%	5	292
6	Told another person that he/she was not attractive because he/she was too drunk	91.78%	268	3.08%	9	2.05%	6	1.71%	5	1.37%	4	0.00%	0	292

**Q37.1 - During the last 30 days, on how many days did YOU use... (mark what best represents your use)**




#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Pain medication (Vicodin, OxyContin)	1.00	3.00	1.03	0.18	0.03	292
2	Sedatives/Anti-Anxiety (Valium, Xanax)	1.00	7.00	1.11	0.69	0.48	293
3	Stimulants (Adderall, Ritalin)	1.00	7.00	1.11	0.67	0.45	293
4	Sleep medication (Lunesta, Ambien)	1.00	7.00	1.11	0.65	0.42	292
5	Antidepressants (Wellbutrin, Cymbalta)	1.00	7.00	1.43	1.53	2.34	293
6	Medical Marijuana	1.00	7.00	1.27	1.12	1.26	293



#	Question	Did not use		1-2 days		3-5 days		6-9 days		10-19 days		20-29 days		All 30 days		Total
1	Pain medication (Vicodin, OxyContin)	97.60 %	285	2.05 %	6	0.34 %	1	0.00 %	0	0.00%	0	0.00 %	0	0.00 %	0	292
2	Sedatives/Anti-Anxiety (Valium, Xanax)	96.93 %	284	0.68 %	2	0.68 %	2	0.34 %	1	0.34%	1	0.00 %	0	1.02 %	3	293
3	Stimulants (Adderall, Ritalin)	96.59 %	283	1.37 %	4	0.00 %	0	0.68 %	2	0.34%	1	0.34 %	1	0.68 %	2	293
4	Sleep medication (Lunesta, Ambien)	96.58 %	282	0.68 %	2	0.68 %	2	0.00 %	0	1.71%	5	0.00 %	0	0.34 %	1	292
5	Antidepressants (Wellbutrin, Cymbalta)	92.15 %	270	0.34 %	1	0.34 %	1	0.00 %	0	0.34%	1	0.00 %	0	6.83 %	20	293
6	Medical Marijuana	93.17 %	273	1.02 %	3	1.02 %	3	0.68 %	2	0.68%	2	1.02 %	3	2.39 %	7	293


**Q37.2\_1 - During the last 30 days, on how many days did YOU use... (mark what best represents your use)**



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Alcohol	1.00	7.00	2.31	1.41	1.99	292
2	Recreational marijuana (not medicinal)	1.00	7.00	1.85	1.72	2.95	292
3	Cigarettes, Cigars, Pipe tobacco	1.00	7.00	1.20	0.86	0.74	292
4	E-Cigarettes (hookah, vaping)	1.00	7.00	1.84	1.86	3.45	293
5	Chewing tobacco, snuff, pouches	1.00	5.00	1.05	0.37	0.14	293
6	Cocaine	1.00	6.00	1.05	0.40	0.16	292
7	Amphetamines/ Methamphetamine	1.00	5.00	1.03	0.34	0.11	293

#	Question	Did not use		1-2 days		3-5 days		6-9 days		10-19 days		20-29 days		All 30 days		Total
1	Alcohol	40.75 %	119	20.89 %	61	17.12 %	50	11.99 %	35	6.85 %	20	2.05 %	6	0.34 %	1	292
2	Recreational marijuana (not medicinal)	73.29 %	214	7.88 %	23	4.79 %	14	2.05 %	6	3.42 %	10	3.77 %	11	4.79 %	14	292
3	Cigarettes, Cigars, Pipe tobacco	92.47 %	270	3.08 %	9	2.05 %	6	0.34 %	1	0.34 %	1	0.34 %	1	1.37 %	4	292
4	E-Cigarettes (hookah, vaping)	79.18 %	232	3.41 %	10	2.05 %	6	2.39 %	7	3.07 %	9	2.05 %	6	7.85 %	23	293
5	Chewing tobacco, snuff, pouches	97.61 %	286	1.02 %	3	0.34 %	1	0.68 %	2	0.34 %	1	0.00 %	0	0.00 %	0	293
6	Cocaine	97.95 %	286	1.03 %	3	0.34 %	1	0.00 %	0	0.34 %	1	0.34 %	1	0.00 %	0	292
7	Amphetamines/ Methamphetamine	98.98 %	290	0.00 %	0	0.00 %	0	0.68 %	2	0.34 %	1	0.00 %	0	0.00 %	0	293


**Q37.2\_2 - During the last 30 days, on how many days did YOU use... (mark what best represents your use)**



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Opiates	1.00	3.00	1.01	0.14	0.02	290
2	Steroids	1.00	6.00	1.04	0.35	0.12	290
3	Hallucinogens	1.00	3.00	1.02	0.15	0.02	290
4	Inhalants (glue, solvents, gas)	1.00	3.00	1.02	0.18	0.03	290
5	Synthetic Drugs (bath salts, K2, etc)	1.00	3.00	1.01	0.17	0.03	290
6	Designer Drugs (ecstasy, MDMA)	1.00	3.00	1.01	0.13	0.02	288
7	Other illegal drugs	1.00	3.00	1.02	0.18	0.03	288

#	Question	Did not use		1-2 days		3-5 days		6-9 days		10-19 days		20-29 days		All 30 days		Total
1	Opiates	98.97%	287	0.69%	2	0.34%	1	0.00%	0	0.00%	0	0.00%	0	0.00%	0	290
2	Steroids	97.93%	284	1.03%	3	0.69%	2	0.00%	0	0.00%	0	0.34%	1	0.00%	0	290
3	Hallucinogens	98.62%	286	1.03%	3	0.34%	1	0.00%	0	0.00%	0	0.00%	0	0.00%	0	290
4	Inhalants (glue, solvents, gas)	98.97%	287	0.34%	1	0.69%	2	0.00%	0	0.00%	0	0.00%	0	0.00%	0	290
5	Synthetic Drugs (bath salts, K2, etc)	99.31%	288	0.00%	0	0.69%	2	0.00%	0	0.00%	0	0.00%	0	0.00%	0	290
6	Designer Drugs (ecstasy, MDMA)	99.31%	286	0.35%	1	0.35%	1	0.00%	0	0.00%	0	0.00%	0	0.00%	0	288
7	Other illegal drugs	98.96%	285	0.35%	1	0.69%	2	0.00%	0	0.00%	0	0.00%	0	0.00%	0	288


**Q38\_1 - In your personal opinion, how acceptable or unacceptable do YOU think it is for students to...**



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Drink alcohol	1.00	4.00	3.20	0.74	0.55	290
2	Miss class due to hangover	1.00	4.00	1.85	0.75	0.56	290
3	Playing drinking games	1.00	4.00	3.03	0.82	0.67	290
4	Drink to have fun	1.00	4.00	3.19	0.75	0.56	290
5	Drink to meet people	1.00	4.00	2.97	0.81	0.65	290
6	Drink to get drunk	1.00	4.00	2.43	0.93	0.87	290
7	Drink alcohol every weekend	1.00	4.00	2.44	0.86	0.74	290
8	Drive a car after drinking	1.00	3.00	1.07	0.29	0.08	289

#	Question	Completely unacceptable		Reasonably unacceptable		Reasonably acceptable		Completely acceptable		Total
1	Drink alcohol	4.48%	13	5.86%	17	54.48%	158	35.17%	102	290
2	Miss class due to hangover	35.17%	102	46.21%	134	17.24%	50	1.38%	4	290
3	Playing drinking games	6.21%	18	13.10%	38	51.72%	150	28.97%	84	290
4	Drink to have fun	4.83%	14	5.86%	17	54.83%	159	34.48%	100	290
5	Drink to meet people	6.55%	19	14.48%	42	54.48%	158	24.48%	71	290
6	Drink to get drunk	18.62%	54	32.41%	94	36.55%	106	12.41%	36	290
7	Drink alcohol every weekend	15.86%	46	33.10%	96	42.07%	122	8.97%	26	290
8	Drive a car after drinking	93.43%	270	5.88%	17	0.69%	2	0.00%	0	289

**Q38\_2 - In your personal opinion, how acceptable or unacceptable do YOU think it is for students to...**




#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Drink enough alcohol to pass out	1.00	3.00	1.43	0.59	0.35	287
2	Use marijuana	1.00	4.00	2.92	1.05	1.11	286
3	Use marijuana occasionally	1.00	4.00	3.05	1.04	1.07	286
4	Use marijuana before work or school	1.00	4.00	1.90	0.93	0.86	287
5	Use marijuana to have fun	1.00	4.00	2.86	1.08	1.16	286
6	Use marijuana in social situations	1.00	4.00	2.77	1.07	1.14	287
7	Use marijuana to relax	1.00	4.00	3.02	1.05	1.10	287
8	Drive after using marijuana	1.00	4.00	1.46	0.69	0.48	286
9	Obtain marijuana for a friend	1.00	4.00	2.21	1.07	1.15	287



#	Question	Completely unacceptable		Reasonably unacceptable		Reasonably acceptable		Completely acceptable		Total
1	Drink enough alcohol to pass out	62.72%	180	32.06%	92	5.23%	15	0.00%	0	287
2	Use marijuana	15.73%	45	12.59%	36	35.66%	102	36.01%	103	286
3	Use marijuana occasionally	15.03%	43	6.29%	18	37.76%	108	40.91%	117	286
4	Use marijuana before work or school	41.81%	120	32.75%	94	18.82%	54	6.62%	19	287
5	Use marijuana to have fun	18.88%	54	9.44%	27	38.81%	111	32.87%	94	286
6	Use marijuana in social situations	19.51%	56	12.20%	35	39.72%	114	28.57%	82	287
7	Use marijuana to relax	15.68%	45	7.32%	21	36.59%	105	40.42%	116	287
8	Drive after using marijuana	65.38%	187	23.78%	68	10.49%	30	0.35%	1	286
9	Obtain marijuana for a friend	34.49%	99	25.09%	72	25.78%	74	14.63%	42	287


**Q39\_1 - How acceptable or unacceptable does the typical student at your school think it is for students to...**



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Drink alcohol	1.00	4.00	3.55	0.68	0.47	280
2	Miss class due to hangover	1.00	4.00	2.79	0.95	0.90	281
3	Playing drinking games	1.00	4.00	3.48	0.74	0.54	280
4	Drink to have fun	1.00	4.00	3.53	0.70	0.49	280
5	Drink to meet people	1.00	4.00	3.49	0.71	0.51	279
6	Drink to get drunk	1.00	4.00	3.22	0.89	0.78	280
7	Drink alcohol every weekend	1.00	4.00	3.27	0.85	0.73	280
8	Drive a car after drinking	1.00	4.00	1.86	0.96	0.93	280

#	Question	Completely unacceptable		Reasonably unacceptable		Reasonably acceptable		Completely acceptable		Total
1	Drink alcohol	3.21%	9	1.43%	4	32.50%	91	62.86%	176	280
2	Miss class due to hangover	11.74%	33	22.42%	63	40.93%	115	24.91%	70	281
3	Playing drinking games	3.93%	11	2.86%	8	34.64%	97	58.57%	164	280
4	Drink to have fun	3.57%	10	1.43%	4	33.57%	94	61.43%	172	280
5	Drink to meet people	3.23%	9	3.23%	9	34.41%	96	59.14%	165	279
6	Drink to get drunk	6.43%	18	11.43%	32	36.07%	101	46.07%	129	280
7	Drink alcohol every weekend	5.71%	16	9.29%	26	37.14%	104	47.86%	134	280
8	Drive a car after drinking	46.43%	130	29.64%	83	15.71%	44	8.21%	23	280


**Q39\_2 - How acceptable or unacceptable does the typical student at your school think it is for students to...**



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Drink enough alcohol to pass out	1.00	4.00	2.44	0.98	0.95	278
2	Use marijuana	1.00	4.00	3.40	0.83	0.69	278
3	Use marijuana occasionally	1.00	4.00	3.43	0.84	0.70	278
4	Use marijuana before work or school	1.00	4.00	2.83	0.98	0.96	278
5	Use marijuana to have fun	1.00	4.00	3.42	0.82	0.68	277
6	Use marijuana in social situations	1.00	4.00	3.38	0.85	0.73	278
7	Use marijuana to relax	1.00	4.00	3.47	0.81	0.66	276
8	Drive after using marijuana	1.00	4.00	2.40	1.04	1.08	278
9	Obtain marijuana for a friend	1.00	4.00	3.06	0.98	0.95	277

#	Question	Completely unacceptable		Reasonably unacceptable		Reasonably acceptable		Completely acceptable		Total
1	Drink enough alcohol to pass out	18.35%	51	35.97%	100	28.78%	80	16.91%	47	278
2	Use marijuana	5.40%	15	6.12%	17	31.29%	87	57.19%	159	278
3	Use marijuana occasionally	6.12%	17	4.32%	12	30.22%	84	59.35%	165	278
4	Use marijuana before work or school	10.79%	30	25.54%	71	33.45%	93	30.22%	84	278
5	Use marijuana to have fun	5.42%	15	5.42%	15	31.41%	87	57.76%	160	277
6	Use marijuana in social situations	5.76%	16	7.19%	20	29.86%	83	57.19%	159	278
7	Use marijuana to relax	5.07%	14	5.43%	15	26.81%	74	62.68%	173	276
8	Drive after using marijuana	23.74%	66	30.58%	85	27.34%	76	18.35%	51	278
9	Obtain marijuana for a friend	10.11%	28	14.44%	40	34.66%	96	40.79%	113	277


## Q40\_1 - To what extent do you agree with the following statements?



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	I feel valued as a person on this campus	1.00	4.00	2.96	0.74	0.54	281
2	I feel that faculty and staff care about me as a student	1.00	4.00	3.06	0.76	0.58	281
3	I have a responsibility to contribute to the well-being of other students	1.00	4.00	3.06	0.74	0.54	281
4	My campus encourages students to seek help for other students who are in need as a result of their drinking	1.00	4.00	2.88	0.85	0.72	280
5	I am aware of my school's alcohol and other drug policy	1.00	4.00	3.02	0.82	0.67	281
6	I follow my school's alcohol and other drug use policy	1.00	4.00	3.21	0.83	0.69	281
7	My school's alcohol and other drug policies are strictly enforced	1.00	4.00	2.57	0.89	0.79	280

#	Question	Strongly disagree		Disagree		Agree		Strongly agree		Total
1	I feel valued as a person on this campus	4.27%	12	16.37%	46	58.36%	164	21.00%	59	281
2	I feel that faculty and staff care about me as a student	4.27%	12	13.17%	37	54.45%	153	28.11%	79	281
3	I have a responsibility to contribute to the well-being of other students	2.49%	7	16.73%	47	52.67%	148	28.11%	79	281
4	My campus encourages students to seek help for other students who are in need as a result of their drinking	7.14%	20	21.43%	60	48.21%	135	23.21%	65	280
5	I am aware of my school's alcohol and other drug policy	5.69%	16	15.30%	43	50.53%	142	28.47%	80	281
6	I follow my school's alcohol and other drug use policy	4.98%	14	11.39%	32	41.28%	116	42.35%	119	281
7	My school's alcohol and other drug policies are strictly enforced	12.50%	35	32.86%	92	39.64%	111	15.00%	42	280

## Q40\_2 - To what extent do you agree with the following statements?




#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	It is easy to make friends at this school without drinking alcohol	1.00	4.00	2.99	0.81	0.66	277
2	Students' at this school respect other students' decisions to not drink alcohol	1.00	4.00	2.95	0.69	0.48	276
3	It is easy to drink on campus without getting caught	1.00	4.00	2.81	0.81	0.66	275
4	It is easy for underage students to obtain alcohol	1.00	4.00	3.01	0.81	0.66	273
5	There are enough alcohol-free activities on campus	1.00	4.00	3.19	0.73	0.54	276
6	The social atmosphere on this campus promotes alcohol use	1.00	4.00	2.50	0.82	0.67	276
7	The social atmosphere on this campus promotes other drug use	1.00	4.00	2.18	0.77	0.59	276



#	Question	Strongly disagree		Disagree		Agree		Strongly agree		Total
1	It is easy to make friends at this school without drinking alcohol	4.69%	13	19.49%	54	48.38%	134	27.44%	76	277
2	Students' at this school respect other students' decisions to not drink alcohol	3.99%	11	14.86%	41	63.41%	175	17.75%	49	276
3	It is easy to drink on campus without getting caught	5.09%	14	29.09%	80	45.82%	126	20.00%	55	275
4	It is easy for underage students to obtain alcohol	4.76%	13	17.95%	49	48.72%	133	28.57%	78	273
5	There are enough alcohol-free activities on campus	2.54%	7	11.59%	32	50.36%	139	35.51%	98	276
6	The social atmosphere on this campus promotes alcohol use	10.14%	28	40.22%	111	38.77%	107	10.87%	30	276
7	The social atmosphere on this campus promotes other drug use	17.75%	49	50.36%	139	27.54%	76	4.35%	12	276


Q41 - How important to you is having a sense of spirituality or spiritual practice in your life, or thinking of your life as part of a larger spiritual force?



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	How important to you is having a sense of spirituality or spiritual practice in your life, or thinking of your life as part of a larger spiritual force?	1.00	6.00	3.44	1.65	2.74	277

#	Answer	%	Count
1	The most important aspect of my life	9.03%	25
2	Very important	27.80%	77
3	Fairly important	20.94%	58
4	Not very important	15.88%	44
5	Not important at all	4.69%	13
6	Not spiritual	21.66%	60
	Total	100%	277


Q42 - How strong would you say is your commitment to a religious faith?



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	How strong would you say is your commitment to a religious faith?	1.00	6.00	3.80	1.70	2.87	277

#	Answer	%	Count
1	The most important aspect of my life	8.30%	23
2	Very strong	18.77%	52
3	Fairly strong	20.94%	58
4	Not very strong	16.97%	47
5	Not important at all	6.50%	18
6	No religious faith	28.52%	79
	Total	100%	277

Q43 - To what extent do you support or oppose the following possible policies and procedures?



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Minimum legal drinking age below 21	1.00	2.00	1.50	0.50	0.25	274
2	Prohibit kegs on campus	1.00	2.00	1.43	0.49	0.24	270
3	Prohibit "drinking games" on campus	1.00	2.00	1.61	0.49	0.24	271
4	Offer alcohol-free residence halls	1.00	2.00	1.15	0.36	0.13	272
5	Make all residences on campus alcohol-free	1.00	2.00	1.68	0.47	0.22	274
6	Require student parties to have a certified bartender	1.00	2.00	1.51	0.50	0.25	273
7	Ban alcohol industry sponsorship of school events	1.00	2.00	1.71	0.45	0.21	274
8	Restrict advertising that promotes alcohol consumption at on-campus parties or events	1.00	2.00	1.57	0.50	0.25	274
9	Limit the days or hours of sale for alcohol outlets near campus	1.00	2.00	1.69	0.46	0.22	274
10	Eliminate happy hours and other low-price alcohol promotions targeted to college students	1.00	2.00	1.76	0.43	0.18	274
11	Use suspension or expulsion as a sanction for alcohol-related policy violations	1.00	2.00	1.66	0.47	0.23	271
12	Notify parents of a first offense when underage students violate the college's alcohol rules or local alcohol laws	1.00	2.00	1.58	0.49	0.24	274
13	Notify parents of a repeat offense when underage students violate the college's alcohol rules or local alcohol laws	1.00	2.00	1.28	0.45	0.20	272
14	Conduct undercover operations at bars, restaurants, and liquor stores to increase compliance with underage drinking laws	1.00	2.00	1.58	0.49	0.24	273
15	"Zero tolerance" law, which specifies a maximum blood alcohol concentration (BAC) of .02% or less for drivers under age 21	1.00	2.00	1.30	0.46	0.21	274

#	Question	Support		Oppose		Total
1	Minimum legal drinking age below 21	50.36%	138	49.64%	136	274
2	Prohibit kegs on campus	57.41%	155	42.59%	115	270
3	Prohibit "drinking games" on campus	39.48%	107	60.52%	164	271
4	Offer alcohol-free residence halls	84.56%	230	15.44%	42	272
5	Make all residences on campus alcohol-free	32.48%	89	67.52%	185	274
6	Require student parties to have a certified bartender	49.08%	134	50.92%	139	273
7	Ban alcohol industry sponsorship of school events	28.83%	79	71.17%	195	274
8	Restrict advertising that promotes alcohol consumption at on-campus parties or events	43.43%	119	56.57%	155	274
9	Limit the days or hours of sale for alcohol outlets near campus	31.39%	86	68.61%	188	274
10	Eliminate happy hours and other low-price alcohol promotions targeted to college students	24.09%	66	75.91%	208	274
11	Use suspension or expulsion as a sanction for alcohol-related policy violations	34.32%	93	65.68%	178	271
12	Notify parents of a first offense when underage students violate the college's alcohol rules or local alcohol laws	41.61%	114	58.39%	160	274
13	Notify parents of a repeat offense when underage students violate the college's alcohol rules or local alcohol laws	72.06%	196	27.94%	76	272
14	Conduct undercover operations at bars, restaurants, and liquor stores to increase compliance with underage drinking laws	42.49%	116	57.51%	157	273
15	"Zero tolerance" law, which specifies a maximum blood alcohol concentration (BAC) of .02% or less for drivers under age 21	70.44%	193	29.56%	81	274


## Add\_2 - Over the past month did you...



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Experience an accident?	1.00	2.00	1.96	0.21	0.04	272
2	Feel hopeless?	1.00	2.00	1.69	0.46	0.21	274
3	Have the thought that you would be better off dead or wish you were dead?	1.00	2.00	1.84	0.37	0.14	273
4	Think about suicide (killing yourself)?	1.00	2.00	1.89	0.32	0.10	273

#	Question	Yes		No		Total
1	Experience an accident?	4.41%	12	95.59%	260	272
2	Feel hopeless?	31.02%	85	68.98%	189	274
3	Have the thought that you would be better off dead or wish you were dead?	16.12%	44	83.88%	229	273
4	Think about suicide (killing yourself)?	11.36%	31	88.64%	242	273

Add\_3a1 - Have you ever considered a suicide method (e.g. how?) or plan (e.g. when or where)?



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Have you ever considered a suicide method (e.g. how?) or plan (e.g. when or where)?	1.00	2.00	1.84	0.37	0.14	273


#	Answer	%	Count
1	Yes	16.12%	44
2	No	83.88%	229
	Total	100%	273



### Add\_3a2 - If you have considered a suicide method or plan, please state them below.

Method (eg. how?)	Plan (eg. when or where?)
Crash my car	
Driving off bridge, jumping from balcony/building	Big Muddy Bridge, SSB balcony
razor blade or pills	when I was a teenager and when I was 21
OD on medical drugs and then use a gun to finish me off.	In the woods. Should this question have a warning on it?
car crash	unpopulated area
i do not feel comfortable answering this	sorry
Driving into on coming traffic, off a tad hill or into a concrete wall.	No specific location, just nearest opportunity.
Taking too many pills and drinking alcohol together	No plan on when or where
Train	I'd walk to the train tracks near campus, put some headphones on and then sit on the tracks until the train hit me.
cutting my wrist or hanging myself	when my boyfriend was in class or I was alone with a enough time not to be found
wasnt that deep. just thought of driving off a bridge	driving off a bridge
Overdosing	My apartment
hanging, jumping	late high school, early college
overdose	in high school at home
Pills	
Drive off a bridge	Back in home town
Drinking poison	Right then. Not planning ahead.
Crash my car	Out in the country
pills	home 2019
overdose	in my room years back
Strangling	Bathroom
didn't have one	didn't have one, just thought about it
Medication, cutting	?
Driving into a lake	One of the many lakes in Southern Illinois
pills	in bed
mind ya damn business	whenever I damn feel like it
Gun	My home
Driving into a tree at high speed	The country outside of Salem
driving off a bridge	Crab Orchard Lake
Something that would seem accidental	Somewhere where it would seem like it was an accident
Hanging	Home right after saying good night
hang	home


### Add\_3b - Have you ever injured yourself without intending to kill yourself?



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Have you ever injured yourself without intending to kill yourself?	1.00	2.00	1.74	0.44	0.19	273

#	Answer	%	Count
1	Yes	25.64%	70
2	No	74.36%	203
	Total	100%	273


### Add\_3c - Have you ever attempted suicide (to kill yourself)?



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Have you ever attempted suicide (to kill yourself)?	1.00	2.00	1.92	0.28	0.08	273

#	Answer	%	Count
1	Yes	8.42%	23
2	No	91.58%	250
	Total	100%	273


**Add\_4 - Have you ever been in recovery from a substance abuse disorder?**



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Have you ever been in recovery from a substance abuse disorder?	1.00	2.00	1.97	0.17	0.03	273


#	Answer	%	Count
1	Yes	2.93%	8
2	No	97.07%	265
	Total	100%	273

### Add\_5 - If yes, what type of recovery are you in? (Check all that apply)



#	Answer	%	Count
1	Abstinence based - lifelong abstinence from drugs and alcohol, or behaviors	25.00%	3
2	Medical assisted - use of medications with counseling and behavior therapies to treat substance use disorders	16.67%	2
3	Moderation - early self-recognition of risky drinking behavior, when moderate drinking is a more easily achievable goal	25.00%	3
4	Mutual aid - 12 step recovery	16.67%	2
5	Counseling - the provision of assistance and guidance in resolving personal, social or psychological problems and difficulties by a licensed professional	16.67%	2
6	Other	0.00%	0


### Add\_6 - Have you ever been in recovery from an eating disorder?



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Have you ever been in recovery from an eating disorder?	1.00	2.00	1.92	0.28	0.08	274

#	Answer	%	Count
1	Yes	8.39%	23
2	No	91.61%	251
	Total	100%	274

## Add\_7 - If yes, what type of recovery are you in? (Check all that apply)




#	Answer	%	Count
1	Abstinence based - lifelong abstinence from drugs and alcohol, or behaviors	0.00%	0
2	Medical assisted - use of medications with counseling and behavior therapies to treat substance use disorders	13.79%	4
3	Mutual aid - 12 step recovery	3.45%	1
4	Counseling - the provision of assistance and guidance in resolving personal, social, or psychological problems and difficulties by a licensed professional	55.17%	16
5	Dietician - experts in human nutrition and regulation of diet	24.14%	7
6	Other	3.45%	1
	Total	100%	29

Add\_7\_13\_TEXT - Other

I need help still. It comes back at times


**Add\_8 - Have you ever been in recovery from a mental health disorder?**



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Have you ever been in recovery from a mental health disorder?	1.00	2.00	1.78	0.41	0.17	274

#	Answer	%	Count
1	Yes	21.90%	60
2	No	78.10%	214
	Total	100%	274

### Add\_9 - If yes, what type of recovery are you in? (Check all that apply)



#	Answer	%	Count
1	Medical assisted - use of medications with counseling and behavior therapies to treat substance use disorders	35.23%	31
2	Mutual aid - 12 step recovery	2.27%	2
3	Counseling - the provision of assistance and guidance in resolving personal, social, or psychological problems and difficulties by a licensed professional	56.82%	50
4	Other	5.68%	5
	Total	100%	88

Add\_9\_1\_TEXT - Other

Medical assisted NOT for substance use disorder

Institutionalization


Weed and Mushrooms aka natural medicines

Still need help

Former therapy




Add\_10 - Do you feel that the college environment is supportive of students who are in recovery?



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Do you feel that the college environment is supportive of students who are in recovery?	1.00	2.00	1.34	0.47	0.22	268

#	Answer	%	Count
1	Yes	66.04%	177
2	No	33.96%	91
	Total	100%	268


**Add\_11 - Has technology (cell phone, internet, iPad etc.) had negative consequences on your life in the following ways:**



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Academics	1.00	2.00	1.49	0.50	0.25	269
2	Sleep	1.00	2.00	1.20	0.40	0.16	270
3	Relationships	1.00	2.00	1.62	0.48	0.24	270
4	Work	1.00	2.00	1.74	0.44	0.19	269
5	Other	1.00	2.00	1.88	0.32	0.10	129

#	Question	Yes	No	Total
1	Academics	50.93% 137	49.07% 132	269
2	Sleep	80.00% 216	20.00% 54	270
3	Relationships	37.78% 102	62.22% 168	270
4	Work	25.65% 69	74.35% 200	269
5	Other	11.63% 15	88.37% 114	129


### Add\_12 - Does your campus have alcohol and drug policies?



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Does your campus have alcohol and drug policies?	1.00	3.00	1.35	0.75	0.56	272

#	Answer	%	Count
1	Yes	82.35%	224
2	No	0.74%	2
3	Don't know	16.91%	46
	Total	100%	272


### Add\_13 - If so, are the alcohol and drug policies enforced?



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	If so, are the alcohol and drug policies enforced?	1.00	3.00	1.91	0.91	0.83	224

#	Answer	%	Count
1	Yes	46.43%	104
2	No	16.52%	37
3	Don't know	37.05%	83
	Total	100%	224


**Add\_14 - Does your campus have a drug and alcohol prevention program?**



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Does your campus have a drug and alcohol prevention program?	1.00	3.00	2.19	0.98	0.95	269

#	Answer	%	Count
1	Yes	40.15%	108
2	No	1.12%	3
3	Don't know	58.74%	158
	Total	100%	269


**Add\_15 - Do you believe your campus is concerned about the prevention of drug and alcohol use?**



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Do you believe your campus is concerned about the prevention of drug and alcohol use?	1.00	3.00	1.63	0.83	0.69	268

#	Answer	%	Count
1	Yes	59.70%	160
2	No	17.54%	47
3	Don't know	22.76%	61
	Total	100%	268


**Add\_16 - Are you actively involved in efforts to prevent drug and alcohol use problems on your campus?**



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Are you actively involved in efforts to prevent drug and alcohol use problems on your campus?	1.00	2.00	1.88	0.32	0.10	269

#	Answer	%	Count
1	Yes	11.90%	32
2	No	88.10%	237
	Total	100%	269

## Add\_17\_18\_19 - Within the last year, approximately how often have YOU used...




#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	E-Cigarettes (hookah, vaping)	1.00	9.00	2.48	2.79	7.78	267
2	Edible Marijuana Products (baked goods, candy, food products)	1.00	9.00	1.85	1.61	2.59	267
3	Marijuana Concentrates (waxes, oils, budder, dabs)	1.00	9.00	1.76	1.89	3.56	268

#	Question	Did not use		Once/yr		6x/ yr		Once/mnth		2x/mnth		Once/wk		3x/wk		5x/wk		Every day		Total
1	E-Cigarettes (hookah, vaping)	71.91%	192	4.49%	12	3.37%	9	1.87%	5	1.50%	4	1.12%	3	1.87%	5	3.00%	8	10.86%	29	267
2	Edible Marijuana Products (baked goods, candy, food products)	67.79%	181	10.86%	29	8.99%	24	3.75%	10	3.75%	10	1.87%	5	1.50%	4	0.37%	1	1.12%	3	267
3	Marijuana Concentrates (waxes, oils, budder, dabs)	79.48%	213	5.60%	15	4.10%	11	1.87%	5	1.87%	5	0.75%	2	1.87%	5	1.87%	5	2.61%	7	268




**Add\_20\_21\_22 - Within the last year, approximately how often do you think the AVERAGE STUDENT on your campus uses...**



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	E-Cigarettes (hookah, vaping)	1.00	9.00	6.80	2.53	6.42	265
2	Edible Marijuana Products (baked goods, candy, food products)	1.00	9.00	5.04	2.16	4.67	265
3	Marijuana Concentrates (waxes, oils, budder, dabs)	1.00	9.00	4.92	2.38	5.67	265

#	Question	Did not use		Once/yr		6x/ yr		Once/ mnth		2x/ mnth		Once/ wk		3x/ wk		5x/ wk		Every day		Total
1	E-Cigarettes (hookah, vaping)	7.92%	21	1.51%	4	4.91%	13	5.28%	14	4.91%	13	9.06%	24	15.85%	42	11.32%	30	39.25%	104	265
2	Edible Marijuana Products (baked goods, candy, food products)	8.68%	23	5.66%	15	9.81%	26	13.21%	35	14.72%	39	26.42%	70	10.57%	28	2.64%	7	8.30%	22	265
3	Marijuana Concentrates (waxes, oils, budder, dabs)	11.70%	31	6.79%	18	10.19%	27	15.47%	41	10.19%	27	20.75%	55	10.57%	28	4.15%	11	10.19%	27	265


Add\_20\_32 - In your opinion, how harmful do you consider...



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	Prescription Medication(s) WITHOUT a prescription	1.00	3.00	2.75	0.48	0.23	264
2	Prescription Medication(s) OTHER than prescribed	1.00	3.00	2.67	0.51	0.26	263
3	Medical Marijuana WITHOUT a prescription	1.00	3.00	1.72	0.78	0.60	264
4	Medical Marijuana OTHER than prescribed	1.00	3.00	1.73	0.77	0.59	262
5	Recreational Marijuana (not medicinal)	1.00	3.00	1.62	0.75	0.56	263
6	Methamphetamines	1.00	3.00	2.89	0.37	0.14	263
7	Synthetic Drugs (bath salts, K2)	1.00	3.00	2.89	0.38	0.14	263
8	Electronic Cigarettes (e-cigs, hookah, vaping)	1.00	3.00	2.41	0.58	0.34	264
9	Edible Marijuana Products (baked goods, candy, food products)	1.00	3.00	1.71	0.77	0.59	263
10	Marijuana Concentrates (waxes, oils, budder, dabs)	1.00	3.00	1.86	0.78	0.60	263

#	Question	Not harmful		Slightly harmful		Very harmful		Total
1	Prescription Medication(s) WITHOUT a prescription	2.27%	6	20.45%	54	77.27%	204	264
2	Prescription Medication(s) OTHER than prescribed	1.90%	5	29.66%	78	68.44%	180	263
3	Medical Marijuana WITHOUT a prescription	48.11%	127	31.82%	84	20.08%	53	264
4	Medical Marijuana OTHER than prescribed	46.56%	122	33.97%	89	19.47%	51	262
5	Recreational Marijuana (not medicinal)	54.37%	143	29.28%	77	16.35%	43	263
6	Methamphetamines	1.90%	5	7.22%	19	90.87%	239	263
7	Synthetic Drugs (bath salts, K2)	2.28%	6	6.08%	16	91.63%	241	263
8	Electronic Cigarettes (e-cigs, hookah, vaping)	4.92%	13	48.86%	129	46.21%	122	264
9	Edible Marijuana Products (baked goods, candy, food products)	48.67%	128	31.94%	84	19.39%	51	263
10	Marijuana Concentrates (waxes, oils, budder, dabs)	38.02%	100	37.64%	99	24.33%	64	263

**Add\_33 - To what extent has your marijuana use changed since its legalization at the state level?**



#	Field	Minimum	Maximum	Mean	Std Deviation	Variance	Count
1	To what extent has your marijuana use changed since its legalization at the state level?	1.00	4.00	1.68	0.89	0.79	265

#	Answer	%	Count
1	N/A. I do not use marijuana products	58.11%	154
2	Increased	17.74%	47
3	About the same	21.89%	58
4	Decreased	2.26%	6
	Total	100%	265